


MotherBoard Albatron KM18GPro

Generalidades

- > AMD Athlon™ / Athlon™XP / Athlon™XP Barton/Duron™ Processor
- > Socket 462 with FSB 200/266/333 MHz
- > 3 DDR400/DDR333/266/200 Memory Sockets
- > AGP 8X , 6 channel AC 97 Audio
- > 2 ATA133 Channels, up to 4 ATA 133 IDE Devices
- > nForce2 MCP 10/100 Ethernet LAN
- > 6 USB 2.0/1.1 Ports (4 ports by optional cable)
- > Chipset with Hyper-Transport Technology
- > TV-Out (KM18G Pro Ver:2.0 Only)



Especificaciones

Processor

- > AMD Athlon™ / Athlon™XP / Athlon™XP Barton /Duron™Processor

FSB

- > 200/266/333MHz

Chipset

- > North Bridge: NVIDIA nForce2 IGP
- > South Bridge: NVIDIA nForce2 MCP
- > I / O Chip : Winbond W83627HF

Memory

- > 3 DDR Sockets:
- > DDR400/DDR333/266/DDR200 unbuffered ECC/
- > None-ECC DDR SDRAM up to 3GB (Single Channel), up to 2GB (Dual Channel)

Expansion Slots

- > 1 x AGP 8X/4X slot (1.5V Only)

-
- > 3 x PCI slots (PCI 2.2 compliant)

IDE Connectors

- > 2 ATA133 channels (up to 4 ATA 133 IDE Devices)

Onboard I/O Connectors

- > 1 x Floppy Connector
- > 2 x USB 2.0/1.1 header (4 ports USB cable optional)
- > 1 x CD_IN header
- > 1 x COM Port header
- > 1 x S/PDIF in/out header (S/PDIF in/out cable optional)
- > 1 x CPU fan header with fan rotation detection function
- > 1 x System fan headers with fan rotation detection function
- > 2 x 5 pin system panel header (Intel spec)
- > 1 x 3 pin Power LED header
- > 1 x 4 pin Speaker header
- > 1 x Front audio header (Intel spec)
- > 1 x Case Open detection header
- > 1 x Wake on LAN
- > 1 x 4 pin TV-Out header

I/O via Back Panel

- > PS/2 keyboard/mouse, 2 x USB(2.0/1.1), 1 x VGA ,
- > 1 x Com (serial)
- > 1 x Parallel
- > 1 x Game/Line-in/Line-out/MIC

Power

- > 20-pin ATX power connector

BIOS Feature

- > 2Mb Flash EEPROM
- > Award BIOS with ACPI, DMI2.0, PnP, WfM2.0,
- > Green Suspend to RAM (S3), Suspend to Disk (S4)
- > Wake on keyboard / Mouse, Wake on
- > LAN/RTC Timer
- > Hardware Monitoring
- > 2 FAN sensors, CPU/System voltages and temperature monitoring

Special Feature

- > Adjustable CPU frequency by 1 MHz increment
- > Special design for CPU Over Temperature Protection.

Certifications

- > FCC, CE, BSMI, WHQL

Form Factor

> Micro ATX (244mm x 244mm)

DRIVERS

Drivers Page: http://www.albatron.com.tw/english/it/mb/driver.asp?pro_id=49

Manual: http://www.albatron.com.tw/english/it/mb/manual.asp?pro_id=49